



1 / 10

FIG. 1




2 / 10

FIG. 2




3 / 10

FIG. 3



4 / 10

FIG. 4



5 / 10

FIG. 5


1. BIDIRECTION/UNIDIRECTION	1: UNIDIRECTION, 2: BIDIRECTION
2. COMMUNICATION PROTOCOL	1: RTSP/TCP + RTP/UDP (WITHOUT RTCP), 2: RTSP/TCP + RTP/UDP (WITH RTCP), ...
3. BIT RATE	IN UNITS OF Kbps (1 Kbps = 1000 bps)
4. URI FORMAT	1: URL FORMAT, 2: ENCRYPTION FORMAT
5. COMPATIBILITY WITH UNIDIRECTIONAL NAT	1: NO, 2: YES
6. IMAGE SIZE (HORIZONTAL)	IN UNITS OF 16 PIXELS
7. IMAGE SIZE (VERTICAL)	IN UNITS OF 16 PIXELS
8. MAXIMUM FRAME RATE	IN UNITS OF 1 fps
9. AUDIO CODEC	0:None, 1:CELP-cbr 8K, 2:CELP-cbr 16K, ...

FIG. 6

	1, 2, 3, 4, 5, 6, 7, 8, 9,
a.	1 2, 1, 30:49, 2, 1 2, 10, 7, 1:8, 1
b.	1 2, 1, 50:199, 2, 1 2, 10, 7, 1:8, 1
c.	1 2, 1, 200:599, 2, 1 2, 10, 7, 1:8, 1
d.	1 2, 1, 200:599, 2, 1 2, 20, 15, 1:15, 1
e.	1 2, 1, 600:100000, 2, 1 2, 10, 7, 1:8, 1
f.	1 2, 1, 600:100000, 2, 1 2, 20, 15, 1:15, 1


7 / 10

FIG. 7



8 / 10

FIG. 8



9 / 10

FIG. 9




FIG. 10

1, 2, 3, 4, 5, 6, 7, 8, 9,	
a. 1, 1 2, 30:49, 2, 1, 10, 7, 1:8, 1	
b. 1, 1 2, 50:199, 2, 1, 10, 7, 1:8, 1	
c. 1, 1 2, 200:599, 2, 1, 10, 7, 1:8, 1	
d. 1, 1 2, 200:599, 2, 1, 20, 15, 1:15, 1	
e. 1, 1 2, 600:100000, 2, 1, 10, 7, 1:8, 1	
f. 1, 1 2, 600:100000, 2, 1, 20, 15, 1:15, 1	